

# TABLE OF CONTENTS

<b>EXECUTIVE SUMMARY .....</b>	<b>ES-1</b>
OVERVIEW .....	ES-1
RETAIL WATER SERVICE AREA AND CUSTOMERS .....	ES-1
WATER SUPPLY SOURCES .....	ES-3
RETAIL WATER SYSTEM FACILITIES.....	ES-3
CURRENT AND PROJECTED FUTURE WATER DEMAND.....	ES-6
HYDRAULIC MODEL UPDATE .....	ES-7
EVALUATION OF EXISTING AND FUTURE WATER SYSTEM.....	ES-7
Pumping Capacity Evaluation .....	ES-7
Water Storage Capacity Evaluation .....	ES-7
Water Distribution System Evaluation.....	ES-7
RECOMMENDED SYSTEM IMPROVEMENTS .....	ES-8
Pressure Zone Boundary Modifications .....	ES-8
Pipelines.....	ES-8
Pressure Reducing Station .....	ES-10
Storage Facilities .....	ES-10
Pump Stations .....	ES-10
Miscellaneous Improvements .....	ES-11
RECOMMENDED CAPITAL IMPROVEMENT PROGRAM .....	ES-11
<b>CHAPTER 1. INTRODUCTION .....</b>	<b>1-1</b>
MASTER PLAN PURPOSE .....	1-1
MASTER PLAN OBJECTIVES .....	1-1
AUTHORIZATION .....	1-1
REPORT ORGANIZATION .....	1-1
ACRONYMS AND ABBREVIATIONS .....	1-2
<b>CHAPTER 2. EXISTING RETAIL WATER SYSTEM .....</b>	<b>2-1</b>
RETAIL WATER SERVICE AREA.....	2-1
Location and Boundaries .....	2-1
Topography.....	2-1
Geology .....	2-1
Climate .....	2-5
CUSTOMERS .....	2-5
Retail and Wholesale Customers .....	2-5
Historical and Projected Population for the District’s Retail Service Area .....	2-5
LAND USE.....	2-7
Existing and Future Land Use .....	2-7



WATER SYSTEM FACILITIES .....2-12

- Sidney N. Peterson Water Treatment Plant .....2-12
- Distribution System Pressure Zones .....2-12
  - American River Canyon North Pressure Zone .....2-16
  - American River Canyon South Pressure Zone .....2-16
  - Bacon Pressure Zone .....2-16
  - Crown Point Pressure Zone .....2-17
  - Gravity Pressure Zone .....2-17
  - Lower Granite Bay Pressure Zone .....2-17
  - Upper Granite Bay Pressure Zone.....2-17
  - Sierra Pressure Zone.....2-18
- Storage Facilities .....2-18
  - Hinkle Reservoir .....2-19
  - Kokila Reservoir .....2-19
  - Los Lagos Tank.....2-19
  - Mooney Ridge Hydropneumatic Tank .....2-19
- Pump Stations .....2-20
  - Bacon Pump Station .....2-22
  - Granite Bay Pump Station .....2-22
  - Douglas Pump Station .....2-24
  - American River Canyon-South (ARC-South) Pump Station .....2-24
  - Hinkle-Crown Point Pump Station.....2-25
- Pipelines.....2-25
- Emergency Interties.....2-25

**CHAPTER 3. PLANNING AND DESIGN CRITERIA ..... 3-1**

FIRE FLOW REQUIREMENTS..... 3-1

WATER SUPPLY CAPACITY DURING HIGH DEMAND PERIODS ..... 3-3

- Maximum Day Demand plus Fire Flow ..... 3-3
- Peak Hour Demand ..... 3-4

PUMPING FACILITY CAPACITY ..... 3-4

WATER STORAGE CAPACITY ..... 3-4

- Operational Storage..... 3-4
- Fire Storage..... 3-5
- Emergency Storage ..... 3-5
- Total Storage Capacity ..... 3-6

WATER TRANSMISSION AND DISTRIBUTION PIPELINE SIZING ..... 3-7

- Water Transmission System ..... 3-7
  - Average Day Demand ..... 3-7
  - Maximum Day Demand ..... 3-7
  - Peak Hour Demand ..... 3-8
- Water Distribution System ..... 3-8
  - Maximum Day Demand plus Fire Flow ..... 3-8
  - Peak Hour Demand ..... 3-8



**CHAPTER 4. WATER SUPPLY ..... 4-1**

SURFACE WATER SUPPLY ..... 4-1

GROUNDWATER SUPPLY ..... 4-1

EMERGENCY SUPPLY CONNECTIONS ..... 4-2

**CHAPTER 5. EXISTING AND PROJECTED FUTURE WATER DEMANDS..... 5-1**

HISTORICAL WATER PRODUCTION & CONSUMPTION..... 5-1

    Historical Production..... 5-1

    Unaccounted-For Water ..... 5-4

WATER CONSERVATION EFFORTS..... 5-5

PEAKING FACTORS ..... 5-6

    Maximum Day and Peak Hour Peaking Factors..... 5-6

PROJECTED FUTURE RETAIL WATER DEMANDS ..... 5-7

    Per Capita Based Water Demand Projection ..... 5-7

    Unit Water Demands by Land Use Designation..... 5-8

    Normalized Unit Demand Factors ..... 5-13

    Projected Water Demands Using Unit Demand Factors for the Retail Service Area ..... 5-14

    Projected Water Demands for the District’s Pressure Zones ..... 5-16

    Total Projected Retail Water Demands for the Retail Service Area..... 5-16

**CHAPTER 6. HYDRAULIC MODEL DEVELOPMENT..... 6-1**

HYDRAULIC MODEL UPDATE ..... 6-1

    Hydraulic Model Element Naming Scheme ..... 6-2

    Modeling Assumptions and Criteria ..... 6-3

    Model Input Data ..... 6-4

ASSIGNMENT AND RE-ALLOCATION OF WATER DEMANDS ..... 6-5

    Demand Allocation Based on Metered Data ..... 6-5

HYDRAULIC MODEL CALIBRATION ..... 6-7

    Hydraulic Model Calibration ..... 6-7

    Calibration Results ..... 6-7

HYDRAULIC MODEL VERIFICATION ..... 6-10

    Developing System-Wide Diurnal Curves ..... 6-10

    Pressure Verification ..... 6-13

    Verification Result ..... 6-15

        Lower Granite Bay ..... 6-15

        Upper Granite Bay..... 6-15

        Bacon ..... 6-18

        ARC-South..... 6-21

        Crown Point ..... 6-21

        Gravity ..... 6-24

        ARC-North..... 6-26

        Sierra..... 6-26

FINDINGS AND CONCLUSIONS ..... 6-29



**CHAPTER 7. EVALUATION OF EXISTING WATER SYSTEM ..... 7-1**

EXISTING RETAIL WATER DEMANDS ..... 7-1

EXISTING SYSTEM EVALUATION METHODOLOGY ..... 7-3

    Water Storage Capacity Evaluation ..... 7-3

    Pumping Capacity Evaluation ..... 7-4

    Water Distribution System Evaluation..... 7-6

EVALUATION RESULTS..... 7-7

    Gravity Pressure Zone ..... 7-7

        Water Storage Capacity ..... 7-7

        Pumping Capacity ..... 7-7

        Water Distribution System..... 7-7

            Peak Hour..... 7-8

            Maximum Day Plus Fire Flow ..... 7-8

    Bacon Pressure Zone ..... 7-10

        Water Storage Capacity ..... 7-10

        Pumping Capacity ..... 7-11

        Water Distribution System..... 7-12

            Peak Hour..... 7-12

            Maximum Day Plus Fire Flow ..... 7-15

    Lower Granite Bay Pressure Zone ..... 7-16

        Water Storage Capacity ..... 7-16

        Pumping Capacity ..... 7-17

        Water Distribution System..... 7-18

            Peak Hour..... 7-18

            Maximum Day Plus Fire Flow ..... 7-18

    Upper Granite Bay Pressure Zone..... 7-21

        Water Storage Capacity ..... 7-21

        Pumping Capacity ..... 7-21

        Water Distribution System..... 7-22

            Peak Hour..... 7-22

            Maximum Day Plus Fire Flow ..... 7-23

    Sierra Pressure Zone..... 7-25

        Water Storage Capacity ..... 7-25

        Pumping Capacity ..... 7-25

        Water Distribution System..... 7-27

            Peak Hour..... 7-27

            Maximum Day Plus Fire Flow ..... 7-27

    American River Canyon North Pressure Zone ..... 7-29

        Water Storage Capacity ..... 7-29

        Pumping Capacity ..... 7-29

        Water Distribution System..... 7-30

            Peak Hour..... 7-30

            Maximum Day Plus Fire Flow ..... 7-30

    American River Canyon South Pressure Zone ..... 7-32

        Water Storage Capacity ..... 7-32



Pumping Capacity .....7-32

Water Distribution System.....7-34

    Peak Hour..... 7-34

    Maximum Day Plus Fire Flow ..... 7-34

Crown Point Pressure Zone .....7-36

    Water Storage Capacity .....7-36

    Pumping Capacity .....7-36

    Water Distribution System.....7-37

    Peak Hour..... 7-37

    Maximum Day Plus Fire Flow ..... 7-39

**SUMMARY OF RECOMMENDED IMPROVEMENTS FOR EXISTING WATER SYSTEM.....7-41**

    Pipelines.....7-41

    Pump Stations .....7-41

    Storage.....7-41

    Miscellaneous .....7-41

**CHAPTER 8. EVALUATION OF THE 2025 WATER SYSTEM ..... 8-1**

2025 RETAIL WATER DEMANDS..... 8-1

2025 SYSTEM EVALUATION METHODOLOGY..... 8-3

    Water Storage Capacity Evaluation ..... 8-3

    Pumping Capacity Evaluation ..... 8-4

    Water Distribution System Evaluation..... 8-6

**EVALUATION RESULTS..... 8-7**

    Gravity Pressure Zone ..... 8-7

        Water Storage Capacity ..... 8-7

        Pumping Capacity ..... 8-7

        Water Distribution System..... 8-7

            Peak Hour..... 8-8

            Maximum Day Plus Fire Flow ..... 8-8

    Bacon Pressure Zone ..... 8-11

        Water Storage Capacity ..... 8-11

        Pumping Capacity ..... 8-13

        Water Distribution System..... 8-14

            Peak Hour..... 8-14

            Maximum Day Plus Fire Flow ..... 8-16

    Lower Granite Bay Pressure Zone ..... 8-18

        Water Storage Capacity ..... 8-18

        Pumping Capacity ..... 8-19

        Water Distribution System..... 8-20

            Peak Hour..... 8-20

            Maximum Day Plus Fire Flow ..... 8-22

    Upper Granite Bay Pressure Zone..... 8-23

        Water Storage Capacity ..... 8-23

        Pumping Capacity ..... 8-23



Water Distribution System..... 8-24  
    Peak Hour..... 8-24  
    Maximum Day Plus Fire Flow ..... 8-25  
Sierra Pressure Zone..... 8-26  
    Water Storage Capacity ..... 8-26  
    Pumping Capacity ..... 8-26  
    Water Distribution System..... 8-27  
        Peak Hour..... 8-27  
        Maximum Day Plus Fire Flow ..... 8-27  
American River Canyon North Pressure Zone ..... 8-29  
    Water Storage Capacity ..... 8-29  
    Pumping Capacity ..... 8-29  
    Water Distribution System..... 8-30  
        Peak Hour..... 8-30  
        Maximum Day Plus Fire Flow ..... 8-30  
American River Canyon South Pressure Zone ..... 8-32  
    Water Storage Capacity ..... 8-32  
    Pumping Capacity ..... 8-32  
    Water Distribution System..... 8-33  
        Peak Hour..... 8-33  
        Maximum Day Plus Fire Flow ..... 8-34  
Crown Point Pressure Zone ..... 8-35  
    Water Storage Capacity ..... 8-35  
    Pumping Capacity ..... 8-35  
    Water Distribution System..... 8-36  
        Peak Hour..... 8-36  
        Maximum Day Plus Fire Flow ..... 8-36  
**SUMMARY OF RECOMMENDED IMPROVEMENTS FOR BUILDOUT  
WATER SYSTEM..... 8-38**  
    Pipelines..... 8-38  
    Pump Stations ..... 8-38  
    Pressure Zone Boundary..... 8-40  
    Storage..... 8-40  
    Miscellaneous ..... 8-40  
**CHAPTER 9. RECOMMENDED CAPITAL IMPROVEMENT PROGRAM ..... 9-1**  
RECOMMENDED CAPITAL IMPROVEMENT PROGRAM ..... 9-1  
    Existing Water System Improvements ..... 9-1  
    2025 Water System Improvements ..... 9-3  
    Recommended CIP Costs ..... 9-5  
CAPITAL IMPROVEMENT PROGRAM IMPLEMENTATION..... 9-6  
  
**APPENDIX A: Hydraulic Model Calibration**  
**APPENDIX B: Cost Estimating Assumptions**  
**APPENDIX C: Preliminary Evaluation of the District’s Lower Granite Bay Pressure  
Zone Technical Memorandum**



# LIST OF TABLES

Table ES-1. Summary of Existing Retail Water System Facilities ..... ES-5

Table ES-2. Existing Retail Water Demands for the San Juan Water District (2004) ..... ES-6

Table ES-3. Estimated Future Retail Water Demands for the San Juan Water District ..... ES-6

Table ES-4. Recommended Pipelines CIP for Existing System..... ES-9

Table ES-5. Recommended Pipelines CIP for 2025 System..... ES-10

Table ES-6. Recommended Total CIP ..... ES-13

Table ES-7. Summary of CIP Costs by Improvement Type ..... ES-14

Table 2-1. Existing and Projected Urban Land Use Within the District’s Retail Service Area .....2-10

Table 2-2. Existing and Projected Acreage for the District’s Pressure Zones .....2-11

Table 2-3. San Juan Water District Pressure Zones.....2-12

Table 2-4. Existing Treated Water Storage Facilities .....2-18

Table 2-5. Summary of District's Existing Pumping Facilities .....2-21

Table 3-1. San Juan Water District Operational and Design Criteria..... 3-2

Table 3-2. Fire Flow Requirements ..... 3-3

Table 4-1. Emergency Interties..... 4-3

Table 5-1. Historical Water Production ..... 5-2

Table 5-2. Historical Per Capita Water Production for the Retail Service Area ..... 5-4

Table 5-3. Best Management Practices In Place for the Retail Service Area ..... 5-5

Table 5-4. Peaking Factors by Pressure Zone ..... 5-7

Table 5-5. Per Capita Water Demand Projections ..... 5-8

Table 5-6. Unit Demand Factors by Land Use Type .....5-13

Table 5-7. Normalized Unit Demand Factors .....5-14

Table 5-8. Unit Water Demand Projections for the Retail Service Area .....5-15

Table 5-9. Comparison of Estimated Future Retail Water Demands .....5-15

Table 5-10. Unit Demand Projections for the District’s Pressure Zones .....5-16

Table 5-11. Projected Retail Water Demands .....5-16

Table 6-1. Prefix Designations for Network Elements ..... 6-2

Table 6-2. Numbering Scheme for Nodes and Pipelines ..... 6-3

Table 6-3. Preliminary Pipeline C-Factors..... 6-9





Table 7-1. Existing Retail Water Demand for San Juan Water District (2004) ..... 7-3

Table 7-2. Existing Treated Water Storage Facilities ..... 7-4

Table 7-3. Summary of Capacity Requirements of Existing Pumping Facilities ..... 7-5

Table 7-4. Gravity Pressure Zone Storage Requirements ..... 7-7

Table 7-5. Bacon Pressure Zone Storage Requirements .....7-10

Table 7-6. Summary of Bacon Pressure Zone Pumping Capacity .....7-12

Table 7-7. Lower Granite Bay Pressure Zone Storage Requirements .....7-16

Table 7-8. Summary of Lower Granite Bay Pressure Zone Pumping Capacity.....7-17

Table 7-9. Upper Granite Bay Pressure Zone Storage Requirements.....7-21

Table 7-10. Summary of Upper Granite Bay Pressure Zone Pumping Capacity .....7-22

Table 7-11. Sierra Pressure Zone Storage Requirements.....7-25

Table 7-12. Summary of Sierra Pressure Zone Pumping Capacity .....7-26

Table 7-13. American River Canyon North Pressure Zone Storage Requirements .....7-29

Table 7-14. Summary of ARC-North Pressure Zone Pumping Capacity .....7-30

Table 7-15. American River Canyon South Pressure Zone Storage Requirements .....7-32

Table 7-16. Summary of ARC-South Pressure Zone Pumping Capacity .....7-33

Table 7-17. Crown Point Pressure Zone Storage Requirements .....7-36

Table 7-18. Summary of Crown Point Pressure Zone Pumping Capacity.....7-37

Table 7-19. Recommended Pipelines to be Upsized.....7-43

Table 8-1. 2025 Water Demand in Retail Service Area..... 8-3

Table 8-2. Treated Water Storage Facilities in 2025 ..... 8-4

Table 8-3. Summary of Pumping Facilities Capacity Requirements at Buildout Condition ..... 8-5

Table 8-4. Gravity Pressure Zone Storage Requirements ..... 8-7

Table 8-5. Bacon Pressure Zone Storage Requirements .....8-13

Table 8-6. Evaluation of the Bacon Pump Station.....8-14

Table 8-7. Lower Granite Bay Pressure Zone Storage Requirements .....8-18

Table 8-8. Evaluation of Lower Granite Bay Pressure Zone Pump Stations .....8-20

Table 8-9. Upper Granite Bay Pressure Zone Storage Requirements.....8-23

Table 8-10. Evaluation of the Upper Granite Bay Pump Station .....8-24

Table 8-11. Sierra Pressure Zone Storage Requirements.....8-26

Table 8-12. Evaluation of Sierra Pump Station .....8-27

Table 8-13 American River Canyon North Pressure Zone Storage Requirements .....8-29





Table 8-14. Evaluation of ARC-North Pump Station .....8-30

Table 8-15. American River Canyon South Pressure Zone Storage Requirements .....8-32

Table 8-16. Evaluation of ARC-South Pump Station .....8-33

Table 8-17. Crown Point Pressure Zone Storage Requirements .....8-35

Table 8-18. Evaluation of Crown Point Pump Station.....8-36

Table 8-19. Recommended Pipelines to be Upsized.....8-38

Table 8-20. Recommended Pump Station Capacity Upgrades.....8-39

Table 9-1. Recommended CIP for Existing System Pipelines ..... 9-2

Table 9-2. Recommended CIP for 2025 System Pipelines ..... 9-5

Table 9-3. Recommended Total CIP..... 9-7

## LIST OF FIGURES

Figure ES-1. Water Service Area..... ES-2

Figure ES-2. System Map..... ES-4

Figure ES-3. Retail System CIP Recommendations ..... ES-12

Figure 2-1. Water Service Area ..... 2-2

Figure 2-2. Pressure Zones ..... 2-3

Figure 2-3. Service Area Topography..... 2-4

Figure 2-4. Historical Population for the District’s Retail Service Area ..... 2-6

Figure 2-5. General Plan Landuse at Buildout ..... 2-8

Figure 2-6. Existing Partially Developed and Vacant Parcels..... 2-9

Figure 2-7. System Map .....2-13

Figure 2-8. Sidney N. Peterson Water Treatment Plant.....2-14

Figure 2-9. Hydraulic Grade Line Schematic.....2-15

Figure 4-1. Viable Emergency Intertie Locations ..... 4-4

Figure 5-1. Historical Retail Water Production and Population for the District's Retail Service Area..... 5-3

Figure 5-2. Geocoded Meter Data ..... 5-9

Figure 5-3. Parcel Boundaries .....5-10

Figure 5-4. Parcels that are 100% Developed .....5-12



Figure 6-1. Geocoded Meter Data ..... 6-6

Figure 6-2. Hydrant Flow Testing Locations ..... 6-8

Figure 6-3. 48 Hour Demand Diurnal .....6-11

Figure 6-4. 48 Hour Demand Diurnal .....6-12

Figure 6-5. Hydrant Pressure Recording Locations.....6-14

Figure 6-6. Upper and Lower Granite Bay Pump Stations Verification.....6-16

Figure 6-7. Pressure Comparison Between Field Recording and Model Simulation in  
Upper and Lower Granite Bay Pressure Zones.....6-17

Figure 6-8. Bacon Pump Station Verification .....6-19

Figure 6-9. Pressure Comparison Between Field Recording and Model Simulation in  
Bacon Pressure Zone .....6-20

Figure 6-10. ARC-South and Crown Point Pump Stations Verification .....6-22

Figure 6-11. Pressure Comparison Between Field Recording and Model Simulation in  
ARC-South and Crown Point Pressure Zones.....6-23

Figure 6-12. Hinkle Reservoir Flowrate and Pressure Comparison Between Field  
Recording and Model Simulation for Gravity Pressures .....6-25

Figure 6-13. ARC-North and Sierra Pump Stations Verification.....6-27

Figure 6-14. Pressure Comparison Between Field Recording and Model Simulation in  
ARC-North and Sierra Pressure Zones .....6-28

Figure 7-1. Existing Retail Water Distribution System ..... 7-2

Figure 7-2. Existing Retail System Gravity Pressure Zone Peak Hour Analysis ..... 7-9

Figure 7-3. Existing Retail System Bacon Pressure Zone Peak Hour Analysis .....7-14

Figure 7-4. Existing Retail System Lower and Upper Granite Bay Pressure/  
Zone Peak Hour Analysis.....7-19

Figure 7-5. Simulated Level Trends in Los Lagos Tank.....7-20

Figure 7-6. Max Day Plus Fire Flow Demand Recommended Improvements in  
Upper Granite Bay Pressure Zone.....7-24

Figure 7-7. Existing Retail System Sierra Pressure Zone Peak Hour Analysis .....7-28

Figure 7-8. Existing Retail System American River Canyon North and South  
Pressure Zones Peak Hour Analysis.....7-31

Figure 7-9. Peak Hour Demand Recommended Improvements in ARC-South  
Pressure Zone .....7-35

Figure 7-10. Existing Retail System Crown Point Pressure Zone Peak Hour Analysis .....7-38

Figure 7-11. Max Day Plus Fire Flow Demand Recommended Improvements in  
Crown Point Pressure Zone.....7-40



Figure 8-1. Projected Land Use at 2025 Buildout ..... 8-2

Figure 8-2. Buildout Retail System Gravity Pressure Zone Peak Hour Analysis ..... 8-9

Figure 8-3. Gravity Pressure Zone Option 2 Recommended Improvements .....8-10

Figure 8-4. Simulated Level Trends in Kokila Reservoir with Base Elevation  
Raised to 505 feet.....8-12

Figure 8-5. Buildout Retail System Bacon Pressure Zone Peak Hour Analysis .....8-15

Figure 8-6. Buildout Max Day Plus Fire Flow Demand Recommended Improvements in  
Bacon Pressure Zone .....8-17

Figure 8-7. Buildout Retail System Lower and Upper Granite Bay Pressure Zone  
Peak Hour Analysis .....5-21

Figure 8-8. Buildout Retail System Sierra Pressure Zone Peak Hour Analysis .....8-28

Figure 8-9. Buildout Retail System American River Canyon North and South Pressure  
Zones Peak Hour Analysis.....8-31

Figure 8-10. Buildout Retail System Crown Point Pressure Zone Pak Hour Analysis .....8-37

Figure 9-1. Existing Retail System CIP Recommendations..... 9-4

Figure 9-2. Phasing of Major Water Distribution and Supply Facilities ..... 9-8